orksheet 5. Application Summary	OPS: 46% Out of state OMB Control # 2060-0482 54% For EPA Use Only ID# in-state SECTOR *based on 2003 Sales
s worksheet will be posted on the web to notify the public of reques methyl bromide. Therefore, this worksheet cannot be claimed as C	· · · · · · · · · · · · · · · · · · ·

This worksheet will be for methyl bromide.	•	•			se exemptions	s beyond the	2005 phase out
1. Consortium Nam	e: Intern	International Paper Eight total nurseries located in Arkansas, Alabama, Georgia, South Carolina, and Texas Bareroot loblolly and slash pine forest seedlings					
2. Location:	Eight 1						
3. Crop:	Barero						
Pounds of Methy 4. Bromide Request		2007	107705	lbs. (assumes	s 98/2 formula	ation; 350lb	s product/acre)
Acres Treated wi	th	2007	314	Acres			·
6. If methyl bromide	is requested f	or additional ye	ars, reason fo	r request:			
At present methy	l bromide rema	ins a critical co	mponent in th	e production o	of quality bar	eroot pine s	eedlings
for reforestation.	In the absence	of an economi	ical or technic	ally feasible al	ternative or I	PM system,	we will
continue to need	methyl bromid	e for soil fumig	ation.				
2006 8	7122 lbs. ~	-Sulotra et	Area Treated	254	Acres	province.	
2007 10	07702 lbs .	incl. Ses. 1	Area Treated	314	Acres		
2008 9	1924 lbs.	QPS	Area Treated	268	Acres		

Note: above request includes both QPS and CUE methyl bromide. At IP, 46% of seedlings are shipped interstate. Place an "X" in the column(s) labeled "Not Technically Feasible" and/or "Not Economically Feasible" where appropriate. Use the "Reasons" column to describe why the potential alternative is not feasible.

Potential Alternatives	Not Technically Feasible	Not Economically Feasible	Reasons
Basamid	x	x	Potential human and environmental risks, lack of consistently
			demonstrable effectiveness, loss in crop quantity and quality
Metham-sodium	х	X	Potential human and environmental risks, lack of consistently
			demonstrable effectiveness, loss in crop quantity and quality
Flooding	X		Not feasible due to well-drained nursery soils. Further,
			nursery fields are sloped to enhance water movement.
Physical Removal	х		No practical method to remove weed tubers or pathogens.
Ploughing	x		Repeated ploughing compacts soil which will reduce plant grov
Solarization	X		The nursery cycle requires fumigation before sowing pine seed
			Fumigation can occur in November or March. Both periods
			are characterized by cloudy days and cool temperatures.

Organic Admendments	Х	Х	Weed populations are not controlled by organic amendments.
			Effects on seedling quality have been variable.
IPM	х	×	At present a workable program to control weeds and soil
			pathogens has not been developed.
			This is the most promising area of research.
Containerized Seedlings		x	Conversion of an 800 million bareroot pine annual seedling
			production to containers is not economically feasible. Further,
		5475	the cost of containerized seedlings is two to three times as
第1章 章			much as bareroot seedlings.

EPA Form # 7620-18a Pre Plant

....